



## TEGERA® 4635

Textile glove, PVC (Vinyl), dots, 7 gg, acrylic, polyester, Cat. II, green, elasticated 360°, for allround work

### PROPERTIES

Warm, light

### SPECIFICATION

TYPE OF GLOVE Work gloves - General handling

CATEGORY Cat. II

SIZE RANGE (EU) 8, 10

DIPPING MATERIAL PVC (Vinyl)

LINING MATERIAL 7 gg, Acrylic, Polyester

DEXTERITY 5

GRIP PATTERN Dots

CUFF STYLE Knitwrist cuff

CUFF MATERIAL Textile

FASTENING Elasticated 360°

LENGTH RANGE 240-260

COLOUR Green

PAIRS PER PACKAGE/CARTON 12/120

PIECES PER BOX 0

DISPLAY Bag OUTER MATERIAL SPECIFICATION Acrylic, polyvinyl chloride, polyester, elastane

| SIZE | ART. NO. | EAN NO.       |
|------|----------|---------------|
| 8    | 4635-8   | 7392626463578 |
| 10   | 4635-10  | 7392626463592 |

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

## TEGERA® 4635

### FEATURES

Phthalate-free, soft

### PREVENTS RISK OF

Blisters, contact with dirt

### PRIMARY ENVIRONMENTS OF USE

Cold environments

### PRIMARY AREAS OF USE

Construction, transport work, warehouse work

### PRIMARY INDUSTRIES OF USE

Transportation, service

### TYPE OF WORK

Medium weight



**CE** Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
124XX



*All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.*

2021-01-21

2(3)

**ejendals**  
PROTECTING HANDS AND FEET

### EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

[info@ejendals.com](mailto:info@ejendals.com)

[order@ejendals.com](mailto:order@ejendals.com)

[www.ejendals.com](http://www.ejendals.com)

## TEGERA® 4635

### EU-TYPE EXAMINATION

0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07  
France

### COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

| Property                                       | Level Achieved | (Maximum Performance) |
|------------------------------------------------|----------------|-----------------------|
| a) Resistance to abrasion (No. of revolutions) | 1              | (4)                   |
| b) Cut resistance (Index)                      | 2              | (5)                   |
| c) Tear resistance (N)                         | 4              | (4)                   |
| d) Puncturing resistance (N)                   | X              | (4)                   |
| e) Cut resistance, EN ISO 13997 (N)            | X              | (F)                   |
| f) Impact protection, EN 13594:2015            |                | (P)                   |

### EN 388 – Testing

(specifies the requirements that apply for each safety level).

| Level of protection/Performance level          | 1   | 2   | 3     | 4     | 5    |
|------------------------------------------------|-----|-----|-------|-------|------|
| a) Resistance to abrasion (No. of revolutions) | 100 | 500 | 2 000 | 8 000 |      |
| b) Cut resistance (Index)                      | 1,2 | 2,5 | 5,0   | 10,0  | 20,0 |
| c) Tear resistance (N)                         | 10  | 25  | 50    | 75    |      |
| d) Puncturing resistance (N)                   | 20  | 60  | 100   | 150   |      |

| Level of protection/Performance level | A | B | C  | D  | E  | F  |
|---------------------------------------|---|---|----|----|----|----|
| e) Cut resistance, EN ISO 13997 (N)   | 2 | 5 | 10 | 15 | 22 | 30 |

| Level of protection/Performance level | P                     |
|---------------------------------------|-----------------------|
| f) Impact protection, EN 13594:2015   | Pass (Level 1 ≤ 9 kN) |



CE Cat. II

EN 420:2003  
+ A1:2009



EN 388:2016  
124XX



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2021-01-21

**ejendals**  
PROTECTING HANDS AND FEET

**EJENDALS AB**

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com